

1 GRADING PLAN
SCALE: 1" = 20'-0"






GENERAL NOTES


1. NEW SIDEWALK SHALL HAVE A CROSS-SLOPE OF 1.5% WITH A TOLERANCE OF 0.5% MAXIMUM, PLUS OR MINUS. ANY SECTION OF NEW SIDEWALK EXCEEDING 2% CROSS-SLOPE WILL BE REJECTED AND MUST BE REPLACED AT THE CONTRACTOR'S EXPENSE.
2. NOTICE TO EXCAVATOR: OREGON LAW REQUIRES YOU TO FOLLOW RULES ADOPTED BY THE OREGON UTILITY NOTIFICATION CENTER. THOSE RULES ARE SET FORTH IN OAR 952-001-0010 THROUGH OAR 952-001-0900 (OREGON UTILITY NOTIFICATION CENTER TELEPHONE NUMBER: (503) 232-1987)
3. SEE CIVIL DRAWINGS FOR STORM WATER PIPING
4. SEE ELECTRICAL FOR SLEEVE LOCATIONS
5. SEE IRRIGATION DRAWING L.4.1 FOR SLEEVE LOCATIONS
6. SURVEY INFORMATION PROVIDED BY OREGON STATE UNIVERSITY

KEYED NOTES

1. ROCK DRAIN LINE, SEE DETAIL 1 / L2.2
2. HARD PIPE UNDER WALKWAY, SEE CIVIL
3. EXTENT OF 36" DEPTH OF STORMWATER SOIL BLEND, SEE SPECIFICATIONS
4. MATCH FINISH GRADE OF NEW WALK TO EXISTING WALK
5. BOTTOM OF STORMWATER FACILITY

LEGEND

-  EXTENT OF STORMWATER SOIL BLEND, SEE SPECIFICATIONS
-  ENLARGEMENT BOUNDARY / MATCHLINE
-  EXISTING TREE TO REMAIN AND PROTECT
- 231.7 EXISTING SPOT ELEVATION
- 234.5 PROPOSED CONTOUR (1' CONTOUR INTERVAL SHOWN)
-  HIGH POINT
- 215.20 SPOT ELEVATION
-  DIRECTION & PERCENTAGE OF SLOPE
- TC / BC TOP OF CURB / BOTTOM OF CURB
- TD / BD TOP OF DRAIN / BOTTOM OF DRAIN
- BOC BOTTOM OF CHANNEL
- EA EDGE OF ASPHALT



CONSULTANT:
Landscape Architecture
[nev-u-non]
Nevue|Ngan|Associates
537 SE Grand Ave., Suite 207
Portland, Oregon 97214
phone: 503.239.0600
fax: 503.239.0605

WASHINGTON WAY POCKET PARK

OREGON STATE UNIVERSITY
CORVALLIS, OR

100% SUBMITTAL

REVISIONS:

DELTA	DATE	TITLE
x	xx/xx/xx	xx/xx/xx

SHEET TITLE:

GRADING PLAN

SCALE: 1"=20'
DRAWN BY: D.G.
CHECKED BY: R.N.

SHEET
L2.1

DATE: 6-02-16
JOB NO. NNA 1501